

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	163	(analog\$2 adj2 input) with (gates near3 transistors)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 13:28
S2	0	S1 and ((plurality multiplicity) adj3 (sens\$3 and detect\$3))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/11 18:02
S3	1	S1 and ((plurality multiplicity) adj3 (sens\$3 and threshold))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/11 18:25
S10	180	"5650643", "6587145", "6559788", "6680498", "5461425", "6154157"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/12 14:32
S11	11	S10 and (sens\$3 diode photodiode) with (analog\$2 adj input)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/05/12 14:34
S12	7951	((n-mos nmos) adj2 transistor) same ((p-mos pmos) adj2 transistor) same inverter	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 13:30

S13	280	S12 and ((sens\$3 diode photodiode led (light adj2 device)) near5 output) near5 gate	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 13:52
S14	4	S13 and "341"/\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 13:36
S15	13	S13 and (analog\$2 adj2 digital)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 15:09
S16	16	S13 and ((analog\$2 adj2 digital) (digital adj2 analog\$2))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/15 17:24
S22	37	(sensor near3 (analog\$2 adj2 input)) and 341/155	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/16 15:34
S23	54	imag\$3.ti. and (sensor near5 (analog\$2 adj2 input))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/16 15:36

S24	1	S23 and "341"/\$	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/16 15:36
-----	---	------------------	---	----	----	---------------------